	Application No.	Applicant(s)
	10/708,892	KITAMURA ET AL.
Notice of Allowability	Examiner	Art Unit
	Iraj A. Mohandesi	2834
The MAILING DATE of this communication appe All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313	ears on the cover sheet with the (OR REMAINS) CLOSED in this or other appropriate communical GHTS. This application is subjection	s application. If not included ation will be mailed in due course. THIS
1. This communication is responsive to <u>02/02/2005</u> .	•	
2. The allowed claim(s) is/are <u>1-14</u> .		
 3. Acknowledgment is made of a claim for foreign priority unally all blue blue blue blue blue blue blue bl	been received. been received in Application No	D
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF		
INFORMAL PATENT APPLICATION (PTO-152) which give		claration is deficient.
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date	,	
(b) including changes required by the attached Examiner's Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1. each sheet. Replacement sheet(s) should be labeled as such in the		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)	C D Naking of Inform	al Dataut Application (DTO 450)
1. Notice of References Cited (PTO-892)		al Patent Application (PTO-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Summ Paper No./Mail	Date
 Information Disclosure Statements (PTO-1449 or PTO/SB/08 Paper No./Mail Date 10/21/2005 	8), 7. Examiner's Ame	endment/Comment
Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. 🛭 Examiner's Stat	ement of Reasons for Allowance
of biological Material	9. Other	
	•	

Application/Control Number: 10/708,892 Page 2

Art Unit: 2834

DETAILED ACTION

1. Claim 1 has been amended.

2. Claims 15-20 have been canceled.

Allowable Subject Matter

The following is an examiner's statement of reasons for allowance:

The prior art of the record in particular Bauwens"176 does not teach a supporting structure for a bicycle power supply apparatus comprising: a battery unit for storing power from a power supply and for supplying power to electrical components, a power switch operatively coupled to the battery unit for selectively switching power from the battery unit to the electrical components including inter alias, a first switch control unit that receives power from the power supply and controls the power switch to switch power from the battery unit to the electrical components powered by the battery unit to operate the electrical components, wherein the first switch control unit is controlled by a selected amount of power received from the power supply.

- 3. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."
- 4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Iraj A. Mohandesi whose telephone number is 571-272-2028. The examiner can normally be reached on M-Th.

Application/Control Number: 10/708,892 Page 3

Art Unit: 2834

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Darren Schuberg can be reached on 571-272-2044. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

I Mohandesi February 9, 2006

DAMEN SCHUPZEG SUPERVISORY PAZENT EXAMINER TECHNOLOGY CENTER 2800